



OWN.../...MC Universal wind shield with adjustable length

0.5 Sheet thickness 0.5 mm

N New product

Information

Usage

Mounting to systems on flat roofs with a panel angle of 10°, 15° or 20° in order to improve the aerodynamic properties of the system and reduce the weight of the ballast. The covers fit to UPG...MC brackets with M8 threaded holes


Material

S250GD steel in:

Magnelis®, MagiZinc®, PosMAC coating


Additional information

- special embossing to strengthen and stiffen the covers - specially designed cut-outs allowing to break out hole plugs without leaving sharp edges in the product - dense perforation allowing to mount the cover to the system with different panels - special break-out cut-outs for simple screwing on covers for panel top brackets - fabrication in Magnelis®, MagiZinc® coated material, PosMAC with very high corrosion resistance - no need for a clamping PBK...MC flat bar - super price Use PW8F enlarged washer between OWN.../...MC wind shield and UPG...MC holder






OWN10-15/...MC



OWN20/...MC



Product versions

Symbol	Catalogue number	Height H (mm)	Length L (mm)	Weight 1 pc. (kg)	Ilość w opakowaniu (kpl.)
OWN10/1,8MC	851018	238	1,800	1.90	5
OWN10/2,12MC	851021	238	2,120	2.20	5
OWN10/2,4MC	851024	238	2,400	3.30	5
OWN15/1,8MC	851518	320	1,800	2.40	5
OWN15/2,12MC	851521	320	2,120	2.90	5
OWN15/2,4MC	851524	320	2,400	3.50	5
OWN20/1,8MC	852018	404	1,800	3	5
OWN20/2,12MC	852021	404	2,120	3.60	5
OWN20/2,4MC	852024	404	2,400	4.10	5

Examples

