

# Product datasheet

Specifications



## OptiLine 45 - post - one-sided - natural - 700 mm

ISM20200

EAN Code: 3606480029769

**Price: 244,80 EUR**

### Main

Range of product	OptiLine 45
Cabling installation system	Post
product type	Post
Type of post	One-sided
Pole/post surface finish	Anodized

### Complementary

colour	Natural
fixing mode	Screw-fixed
Front opening size	45 mm
Material	Aluminium anodized
quantity package 1 / unit	Set of 1
Height	700 mm
Width	68 mm
Market segment	Small commercial Residential

### Environment

Standards	73/23/EEC 93/68/EEC EN 50085-1:2005 EN-AW-6063 NF C 68-102
operating temperature	-25...60 °C
IP degree of protection	IP30

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.8 cm
Package 1 Width	17.6 cm
Package 1 Length	74.4 cm
Package 1 Weight	2.052 kg
Unit Type of Package 2	P12

Rates duty January 2016

<b>Number of Units in Package 2</b>	28
<b>Package 2 Height</b>	67.0 cm
<b>Package 2 Width</b>	80.0 cm
<b>Package 2 Length</b>	120.0 cm
<b>Package 2 Weight</b>	67.4 kg

## **Contractual warranty**

<b>Warranty</b>	18 months
-----------------	-----------


## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.


[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	Ce89f989-36a8-4890-9b3e-79150ca1abc2
REACH Regulation	<a href="#">REACH Declaration</a>

### Use Again

 <b>Repack and remanufacture</b>	
Circularity Profile	No need of specific recycling operations
Take-back	No