


Product data sheet

Specifications



TeSys GV2, interconnection block, to connect GV2 and LC1D09 to D38 contactor

GV2AF3

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|------------------------------------|-------------------------|
| Range | Linergy |
| Product name | FT |
| Device short name | GV2AF |
| Product or Component Type | Combination block |
| Accessory / separate part category | Connection accessory |
| Range compatibility | TeSys GV2 TeSys Deca |

Complementary

| | |
|--------------------------------|-------------------------|
| Product Compatibility | LC1D09...D38 |
| Poles description | 3P |
| [Ie] rated operational current | 32 A |
| Product Weight | 0.035 lb(US) (0.016 kg) |

Ordering and shipping details

| | |
|-------------------|---------------|
| Category | US10I1122367 |
| Discount Schedule | 0I11 |
| GTIN | 3389110569063 |
| Returnability | Yes |
| Country of origin | HU |

Packing Units

| | |
|------------------------------|----------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 3.740 in (9.500 cm) |
| Package 1 Width | 3.937 in (10.000 cm) |
| Package 1 Length | 1.969 in (5.000 cm) |
| Package weight(Lbs) | 0.776 oz (22.000 g) |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 3.740 in (9.500 cm) |
| Package 2 Width | 3.937 in (10.000 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|-------------------------|
| Package 2 Length | 5.984 in (15.200 cm) |
| Package 2 Weight | 9.489 oz (269.000 g) |
| Unit Type of Package 3 | S03 |
| Number of Units in Package 3 | 140 |
| Package 3 Height | 11.811 in (30.000 cm) |
| Package 3 Width | 11.811 in (30.000 cm) |
| Package 3 Length | 15.748 in (40.000 cm) |
| Package 3 Weight | 9.251 lb(US) (4.196 kg) |

Contractual warranty

| | |
|-----------------------------|----|
| Warranty (in months) | 18 |
|-----------------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

No

WEEE Label




The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Dimensions Drawings


GV2AF01

Combination GV2ME + TeSys k contactor




GV2AF3

Combination GV2ME + TeSys d contactor



| GV2ME + | LC1D09...D18 | LC1D25 and D32 |
|---------|--------------|----------------|
| b | 176.4 | 186.8 |
| c1 | 94.1 | 100.4 |
| c | 99.6 | 105.9 |

Combination GV2P + TeSys d contactor



| GV2P + | LC1D09...D18 | LC1D25 and D32 |
|--------|--------------|----------------|
| b | 176.4 | 186.8 |
| c1 | 100.1 | 106.4 |

| GV2P + | LC1D09...D18 | LC1D25 and D32 |
|--------|--------------|----------------|
| c | 105.6 | 111.9 |
| d1 | 95 | 95 |
| d | 100.5 | 100.5 |

Technical Illustration

Assembly's dimensions

