

Rotary switches

(GB)

Rotary switch inserts

Ref.-no.: 1101-3, 1101-20 ..
1101-4 .., 1101-32

Covers

Ref.-no.: .. 1541 .., .. 1941 ..

Operating instructions**1 Safety instructions**

Electrical devices may only be installed and connected by electrically skilled persons.

Serious injuries, fire or property damage possible. Please read and follow the instructions in full. These instructions are an integral part of the product, and must remain with the end customer.


2 Device components

Fig. 1: Device components

- (1) Insert
- (2) Frame
- (3) Cover
- (4) Scale disc
- (5) Toggle

3 Function**Intended use**

- not suitable for installation in surface caps
- installation note: No plaster compensation possible. Insert must be mounted flush with the wall. Supporting frame must be on top of wallpaper.

Designs

1101-3	3-level switch without OFF position
1101-4 ..	3-level switch with OFF position
1101-20 ..	1-way switch, 2-pole, 20 A
1101-32	1-way switch, 2-pole, 32 A

4 Information for electrically skilled persons

Mounting and electrical connection


DANGER

Electrical shock on contact with live parts in the installation environment.

Electrical shocks can be fatal.

Before working on the device, disconnect the power and cover live parts in the area!

- Connect the insert according to the connection diagram. (fig. 2)
- Install the insert in the appliance box.
- Mount the frame and centre plate.
- Switch on mains voltage.

5 Operation

The devices connected to the respective terminals are switched on or off according to the switch position.

Position 1 / 2 / 3:

On

Position 0:

Off

6 Connection diagrams




Fig. 2: Connection diagrams

7 Technical data

Rated voltage	AC 250 V ~
Rated current	
1101-3, 1101-4 ..	16 AX
1101-20 .., 1101-32	20 AX, 32 AX
Connection	screw terminals
rigid and flexible wires	
1101-3, 1101-4 ..	bis 2,5 mm ²
1101-20 .., 1101-32	bis 4 mm ² , bis 6 mm ²

8 Accessories

Replacement scale disc	
1101-4 ..	SKS 1101-4 ..
1101-20 ..	SKS 1101-20 ..

9 Warranty

The warranty is provided within the framework of the statutory provisions via the specialised trade.