

Product data sheet

Specifications



Double Switch, Sedna Design & Elements, 10AX, PRO, white

SDD111108

Main

Range	Sedna
Product or component type	Switch
Device presentation	Mechanism with fixing frame and cover plate
Device application	Control switch
Number of rocker	2
Switch function	1-pole 2-way
Rated current	10 AX
[Ue] rated operational voltage	250 V
Network type	AC
Network frequency	50 Hz
Colour tint	White (RAL 9003)

Complementary

Technology type	Electromechanical
Device mounting	Flush
fixing mode	Screws
Fixing mode	Claws, span of claws working range: 51...70 mm Screws, span of claws working range:
Actuator	Rocker
Load type	1 lamp integrated ballast (100 W)
Power range	2300 W
Surface finish	Glossy
surface treatment	Untreated
Material	Thermoplastic ABS-UV stabilised
kind of terminals	Screwless terminals
Cable cross section	1.5...2.5 mm ²
wire structure	Rigid Stranded Flexible
Wire stripping length	13 mm
IK degree of protection	IK02
Height	73 mm
Width	73 mm

Depth	37 mm
depth of visual part	24 mm
Net weight	0.061 kg
Targeted channel	Professional

Environment

IP degree of protection	IP20
conformity mark	CE
Standards	IEC 60669-1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	8.000 cm
Package 1 Length	8.000 cm
Package 1 Weight	68.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	9.500 cm
Package 2 Width	18.500 cm
Package 2 Length	27.500 cm
Package 2 Weight	764.000 g
Unit Type of Package 3	S04
Number of Units in Package 3	120
Package 3 Height	30.000 cm
Package 3 Width	40.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	9.809 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.7 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.4 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.1 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Average percentage of recycled plastic content	61 %
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	D3c840d2-b54e-4e8b-a465-c39880495453
EU RoHS Directive	Compliant
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again




Repack and remanufacture

Recyclability potential, in %	41
End of life manual availability	No need of specific recycling operations
Take-back	Nej
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Wiring diagram




Offer Marketing Illustration

Product benefits / Features

Technical Features

Sedna

Fast and secure wire fixing or releasing making the installation faster with screwless terminals



Switch inserts have "ON" marking helping to install it faster without checking the correct position


Conical shape of wire inlets in terminals guide the wire into the place makes connection easier

The switch type and connection options are clearly visible. The diagram is showing directly which terminal shall be connected

Offer Marketing Illustration

Product benefits / Features

Technical Features Sedna



Offer Marketing Illustration

Product benefits / Features

Technical Features
Sedna




Image of product / Alternate images

Alternative

